Lehrstuhl für Automatentheorie
Technische Universität Dresden
Prof. Dr. F. Baader

01062 Dresden
Tel.: 0351/463–39171
Tel.: 0351/463– 38237

7. Exercises for the lecture **Term Rewriting Systems**

Exercise 1:

Let E be a set of identities with some $\ell \approx r \in E$ such that

- ℓ is a variable or
- $\mathcal{V}ar(r) \not\subseteq \mathcal{V}ar(\ell)$.

Prove that $\underset{E}{\longrightarrow}$ is not terminating.

Exercise 2:

Let $G_1 := \{f^3(a) \approx a,\ f^5(a) \approx a\}$ and $G_2 := \{f^4(a) \approx a,\ f^6(a) \approx a\}$. Consider the congruence closures of G_1 and G_2 and verify whether $f^2(a) \approx a$ holds in G_1 or G_2.

Exercise 3:

Let G be a set of ground identities and $CC(G)$ the congruence closure of G. Prove that

$$\underset{G}{\longrightarrow} \subseteq CC(G).$$

(This implies that $\overset{*}{\underset{G}{\longleftrightarrow}} \subseteq CC(G)$ and completes the proof of Lemma 4.8 of the lecture.)

Exercise 4:

Let u, x, y, z be variables. Use the unification algorithm repeated in the lecture to solve the following two unification problems:

(a) $S_1 := \{f(h(x), g(x, u)) \stackrel{?}{=} f(z, g(f(y, y), z))\}$,

(b) $S_2 := \{h(x, g(x, y), y) \stackrel{?}{=} h(x, g(a, y), y), \quad z \stackrel{?}{=} h(x, g(x, b), b)\}$.

Exercise 5:

From the unification algorithm repeated in the lecture, design a direct decision procedure for the matching problem.
Hint: "direct" means that no constants are introduced in the right term. Instead, the rules are to be modified such that the new algorithm returns "the input terms do not match" or a matcher for the input terms as soon as possible.