

# Chapter 3

## Basic Model Theory

Interpretations of  $\mathcal{ALC}$  can be viewed as graphs  
(with labeled edges and nodes).

- We introduce the notion of **bisimulation** between graphs/interpretations
- We show that  $\mathcal{ALC}$ -concepts **cannot distinguish bisimilar nodes**
- We use this to show restrictions of the **expressive power** of  $\mathcal{ALC}$
- We use this to show **interesting properties** of models for  $\mathcal{ALC}$ :
  - **tree model** property
  - closure under **disjoint union**
- We show the **finite model** property of  $\mathcal{ALC}$ .




### Definition 3.1 (bisimulation)

Let  $\mathcal{I}_1$  and  $\mathcal{I}_2$  be interpretations.

The relation  $\rho \subseteq \Delta^{\mathcal{I}_1} \times \Delta^{\mathcal{I}_2}$  is a **bisimulation** between  $\mathcal{I}_1$  and  $\mathcal{I}_2$  iff

- $d_1 \rho d_2$  implies  $d_1 \in A^{\mathcal{I}_1}$  iff  $d_2 \in A^{\mathcal{I}_2}$  for all  $A \in N_C$
- $d_1 \rho d_2$  and  $(d_1, d'_1) \in r^{\mathcal{I}_1}$  implies the existence of  $d'_2 \in \Delta^{\mathcal{I}_2}$  such that  $d'_1 \rho d'_2$  and  $(d_2, d'_2) \in r^{\mathcal{I}_2}$  for all  $r \in N_R$
- $d_1 \rho d_2$  and  $(d_2, d'_2) \in r^{\mathcal{I}_2}$  implies the existence of  $d'_1 \in \Delta^{\mathcal{I}_1}$  such that  $d'_1 \rho d'_2$  and  $(d_1, d'_1) \in r^{\mathcal{I}_1}$  for all  $r \in N_R$



Note:

- $\mathcal{I}_1 = \mathcal{I}_2$  is possible
- the **empty relation**  $\emptyset$  is a bisimulation.



Let  $\mathcal{I}_1$  and  $\mathcal{I}_2$  be interpretations and  $d_1 \in \Delta^{\mathcal{I}_1}$ ,  $d_2 \in \Delta^{\mathcal{I}_2}$ .

$(\mathcal{I}_1, d_1) \sim (\mathcal{I}_2, d_2)$  iff there is a bisimulation  $\rho$  between  $\mathcal{I}_1$  and  $\mathcal{I}_2$   
such that  $d_1 \rho d_2$

### Theorem 3.2 (bisimulation invariance of $\mathcal{ALC}$ )

If  $(\mathcal{I}_1, d_1) \sim (\mathcal{I}_2, d_2)$ , then the following holds for all  $\mathcal{ALC}$ -concepts  $C$ :

$$d_1 \in C^{\mathcal{I}_1} \text{ iff } d_2 \in C^{\mathcal{I}_2}$$

“ $\mathcal{ALC}$ -concepts cannot distinguish between  $d_1$  and  $d_2$ ”

*Proof: blackboard*



# Expressive power

of  $\mathcal{ALC}$

We have introduced **extensions** of  $\mathcal{ALC}$  by the concept constructors **number restrictions**, **nominals** and the role constructor **inverse role**.

How can we show that these constructors **really extend**  $\mathcal{ALC}$ , i.e., that they **cannot be expressed** using the constructors of  $\mathcal{ALC}$ .

To this purpose, we show that, **using any of these constructors**, we can **construct concept descriptions**

- that **cannot be expressed** by  $\mathcal{ALC}$ -concept descriptions,
- i.e, there is **no equivalent**  $\mathcal{ALC}$ -concept description.




# Expressive power

of  $\mathcal{ALC}$

Proposition 3.3 ( $\mathcal{ALCN}$  is more expressive than  $\mathcal{ALC}$ )

No  $\mathcal{ALC}$ -concept description is equivalent to the  $\mathcal{ALCN}$ -concept description ( $\leq 1r$ ).

*Proof: blackboard*



# Expressive power

of  $\mathcal{ALC}$

Proposition 3.4 ( $\mathcal{ALCI}$  is more expressive than  $\mathcal{ALC}$ )

No  $\mathcal{ALC}$ -concept description is equivalent to the  $\mathcal{ALCI}$ -concept description  $\exists r^{-1}.T$ .

*Proof: blackboard*



# Expressive power

of  $\mathcal{ALC}$

Proposition 3.5 ( $\mathcal{ALCO}$  is more expressive than  $\mathcal{ALC}$ )

No  $\mathcal{ALC}$ -concept description is equivalent to the  $\mathcal{ALCO}$ -concept description  $\{a\}$ .

*Proof: blackboard*




# Tree model property


of  $\mathcal{ALC}$ .

Recall that interpretations can be viewed as graphs:

- nodes are the elements of  $\Delta^{\mathcal{I}}$ ;
- interpretation of roles names yields edges;
- interpretation of concept names yields node labels.



Starting with a given node, the graph can be unraveled into a tree without “changing membership” in concepts.





### Definition 3.6 (tree model)

Let  $\mathcal{T}$  be a TBox and  $C$  a concept description.

The interpretation  $\mathcal{I}$  is a **tree model** of  $C$  w.r.t.  $\mathcal{T}$  iff

$\mathcal{I}$  is a model of  $\mathcal{T}$ , and the graph

$$(\Delta^{\mathcal{I}}, \bigcup_{r \in N_R} r^{\mathcal{I}})$$

is a **tree** whose **root** belongs to  $C^{\mathcal{I}}$ .

### Theorem 3.7 (tree model property)

$\mathcal{ALC}$  has the tree model property,

i.e., if  $\mathcal{T}$  is an  $\mathcal{ALC}$ -TBox and  $C$  an  $\mathcal{ALC}$ -concept description such that

$C$  is satisfiable w.r.t.  $\mathcal{T}$ , then  $C$  has a tree model w.r.t.  $\mathcal{T}$ .

*Proof: blackboard*



### Proposition 3.8 (no tree model property)

$\mathcal{ALCO}$  does **not** have the tree model property.

**Proof:**

The concept  $\{a\}$  does not have a tree model w.r.t.  $\{\{a\} \sqsubseteq \exists r.\{a\}\}$ .



# Disjoint union

## Definition 3.9

Let  $\mathcal{I}_1$  and  $\mathcal{I}_2$  be interpretations over **disjoint domains**.

Their **disjoint union**  $\mathcal{I}_1 \uplus \mathcal{I}_2$  is defined as follows:

$$\Delta^{\mathcal{I}_1 \uplus \mathcal{I}_2} = \Delta^{\mathcal{I}_1} \cup \Delta^{\mathcal{I}_2}$$

$$A^{\mathcal{I}_1 \uplus \mathcal{I}_2} = A^{\mathcal{I}_1} \cup A^{\mathcal{I}_2} \text{ for all } A \in N_C$$

$$r^{\mathcal{I}_1 \uplus \mathcal{I}_2} = r^{\mathcal{I}_1} \cup r^{\mathcal{I}_2} \text{ for all } r \in N_R$$

## Lemma 3.10

For  $i \in \{1, 2\}$ , all  $\mathcal{ALC}$ -concept descriptions  $C$ , and all  $d \in \Delta^{\mathcal{I}_i}$  we have

$$d \in C^{\mathcal{I}_i} \text{ iff } d \in C^{\mathcal{I}_1 \uplus \mathcal{I}_2}$$



# Disjoint union

## Definition 3.9

Let  $\mathcal{I}_1$  and  $\mathcal{I}_2$  be interpretations over **disjoint domains**.

Their **disjoint union**  $\mathcal{I}_1 \uplus \mathcal{I}_2$  is defined as follows:

$$\Delta^{\mathcal{I}_1 \uplus \mathcal{I}_2} = \Delta^{\mathcal{I}_1} \cup \Delta^{\mathcal{I}_2}$$

$$A^{\mathcal{I}_1 \uplus \mathcal{I}_2} = A^{\mathcal{I}_1} \cup A^{\mathcal{I}_2} \text{ for all } A \in N_C$$

$$r^{\mathcal{I}_1 \uplus \mathcal{I}_2} = r^{\mathcal{I}_1} \cup r^{\mathcal{I}_2} \text{ for all } r \in N_R$$

## Theorem 3.10b

Let  $\mathcal{I}_1$  and  $\mathcal{I}_2$  be interpretations over disjoint domains, and  $\mathcal{T}$  an  $\mathcal{ALC}$ -TBox.

If both  $\mathcal{I}_1$  and  $\mathcal{I}_2$  is a **model of  $\mathcal{T}$** , then  $\mathcal{I}_1 \uplus \mathcal{I}_2$  is also a **model of  $\mathcal{T}$** .

*Proof: blackboard*



# Finite model property

## Definition 3.11 (finite model)

Let  $\mathcal{T}$  be a TBox and  $C$  a concept description.


The interpretation  $\mathcal{I}$  is a **finite model** of  $C$  w.r.t.  $\mathcal{T}$  iff  $\mathcal{I}$  is a model of  $\mathcal{T}$ ,  $C^{\mathcal{I}} \neq \emptyset$ , and  $\Delta^{\mathcal{I}}$  is finite.

## Theorem 3.12 (finite model property)

$\mathcal{ALC}$  has the finite model property,

i.e., if  $\mathcal{T}$  is an  $\mathcal{ALC}$ -TBox and  $C$  an  $\mathcal{ALC}$ -concept description such that  $C$  is satisfiable w.r.t.  $\mathcal{T}$ , then  $C$  has a finite model w.r.t.  $\mathcal{T}$ .

*Proof first requires some definitions.*



# Size


of  $\mathcal{ALC}$ -concept descriptions

- $C \in N_C$ :  $|A| := 1$  for  $A \in N_C$ ;
- $C = C_1 \sqcap C_2$  or  $C = C_1 \sqcup C_2$ :  $|C| := 1 + |C_1| + |C_2|$ ;
- $C = \neg D$  or  $C = \exists r.D$  or  $C = \forall r.D$ :  $|C| := 1 + |D|$ .

$$|A \sqcap \exists r.(A \sqcup B)| = 1 + 1 + (1 + (1 + 1 + 1)) = 6$$

*Counts the occurrences of concept names, role names, and Boolean operators.*

$$|\mathcal{T}| := \sum_{C \sqsubseteq D \in \mathcal{T}} |C| + |D|$$



# Subdescriptions

of  $\mathcal{ALC}$ -concept descriptions

- $C \in N_C$ :  $\text{Sub}(A) := \{A\}$  for  $A \in N_C$ ;
- $C = C_1 \sqcap C_2$  or  $C = C_1 \sqcup C_2$ :  $\text{Sub}(C) := \{C\} \cup \text{Sub}(C_1) \cup \text{Sub}(C_2)$ ;
- $C = \neg D$  or  $C = \exists r.D$  or  $C = \forall r.D$ :  $\text{Sub}(C) := \{C\} \cup \text{Sub}(D)$ .

$$\text{Sub}(A \sqcap \exists r.(A \sqcup B)) = \{A \sqcap \exists r.(A \sqcup B), A, \exists r.(A \sqcup B), A \sqcup B, B\}$$

$$\text{Sub}(\mathcal{T}) := \bigcup_{C \sqsubseteq D \in \mathcal{T}} \text{Sub}(C) \cup \text{Sub}(D)$$

- the cardinality of  $\text{Sub}(C)$  is bounded by  $|C|$ ;
- the cardinality of  $\text{Sub}(\mathcal{T})$  is bounded by  $|\mathcal{T}|$ .



# Type

of an element of a model

## Definition 3.13 ( $S$ -type)

Let  $S$  be a finite set of concept descriptions, and  $\mathcal{I}$  an interpretation.

The  $S$ -type of  $d \in \Delta^{\mathcal{I}}$  is defined as

$$t_S(d) := \{C \in S \mid d \in C^{\mathcal{I}}\}.$$

## Lemma 3.14 (number of $S$ -types)

$$|\{t_S(d) \mid d \in \Delta^{\mathcal{I}}\}| \leq 2^{|S|}$$

*Proof: obvious*





# Filtration

of a model

## Definition 3.15 ( $S$ -filtration)

Let  $S$  be a finite set of concept descriptions, and  $\mathcal{I}$  an interpretation.

We define an **equivalence relation**  $\simeq$  on  $\Delta^{\mathcal{I}}$  as follows:


$$d \simeq e \text{ iff } t_S(d) = t_S(e)$$

The  $\simeq$ -equivalence class of  $d \in \Delta^{\mathcal{I}}$  is denoted by  $[d]$ .

The  $S$ -filtration of  $\mathcal{I}$  is the following interpretation  $\mathcal{J}$ :

- $\Delta^{\mathcal{J}} := \{[d] \mid d \in \Delta^{\mathcal{I}}\}$
- $A^{\mathcal{J}} := \{[d] \mid \exists d' \in [d]. d' \in A^{\mathcal{I}}\}$  for all  $A \in N_C$
- $r^{\mathcal{J}} := \{([d], [e]) \mid \exists d' \in [d], e' \in [e]. (d', e') \in r^{\mathcal{I}}\}$  for all  $r \in N_R$

Obviously,  $|\Delta^{\mathcal{J}}| \leq 2^{|S|}$ .



# Filtration

important property

We say that the finite set  $S$  of concept descriptions is **closed** iff

$$\bigcup \{\text{Sub}(C) \mid C \in S\} \subseteq S$$

## Lemma 3.16

Let  $S$  be a finite set of  $\mathcal{ALC}$ -concept descriptions, that is **closed**,  $\mathcal{I}$  an interpretation, and  $\mathcal{J}$  the  $S$ -filtration of  $\mathcal{I}$ . Then we have

$$d \in C^{\mathcal{I}} \text{ iff } [d] \in C^{\mathcal{J}}$$

for all  $d \in \Delta^{\mathcal{I}}$  and  $C \in S$ .

*Proof: blackboard*



The following proposition shows that  $\mathcal{ALC}$  satisfies a property that is even stronger than the finite model property.

### Proposition 3.17 (bounded model property)

Let  $\mathcal{T}$  be a TBox,  $C$  a concept description, and  $S := \text{Sub}(C) \cup \text{Sub}(\mathcal{T})$ .

If  $C$  is satisfiable w.r.t.  $\mathcal{T}$ , then there is a model  $\hat{\mathcal{I}}$  of  $\mathcal{T}$  such that  $C^{\hat{\mathcal{I}}} \neq \emptyset$  and  $|\Delta^{\hat{\mathcal{I}}}| \leq 2^{|S|}$ .

**Proof:** let  $\mathcal{I}$  be a model of  $\mathcal{T}$  with  $C^{\mathcal{I}} \neq \emptyset$ , and  $\hat{\mathcal{I}}$  be the  $S$ -filtration of  $\mathcal{I}$

We must show:

- $|\Delta^{\hat{\mathcal{I}}}| \leq 2^{|S|}$  Lemma 3.14
  - $C^{\hat{\mathcal{I}}} \neq \emptyset$
  - $\hat{\mathcal{I}}$  is a model of  $\mathcal{T}$
- } follow from Lemma 3.16



The following proposition shows that  $\mathcal{ALC}$  satisfies a property that is even stronger than the finite model property.

### Proposition 3.17 (bounded model property)

Let  $\mathcal{T}$  be a TBox,  $C$  a concept description, and  $S := \text{Sub}(C) \cup \text{Sub}(\mathcal{T})$ .

If  $C$  is satisfiable w.r.t.  $\mathcal{T}$ , then there is a model  $\hat{\mathcal{I}}$  of  $\mathcal{T}$  such that  $C^{\hat{\mathcal{I}}} \neq \emptyset$  and  $|\Delta^{\hat{\mathcal{I}}}| \leq 2^{|S|}$ .

### Corollary 3.17b (decidability)

In  $\mathcal{ALC}$ , satisfiability of a concept description w.r.t. a TBox is decidable.



# No finite model property

Theorem 3.18 (no finite model property)

$\mathcal{ALCNI}$  does not have the finite model property,

*Proof: blackboard*

