



Introduction to Complexity Theory

Exercise Sheet 3

Dr. Rafael Peñaloza
Summer Semester 2012

Exercise 9

Prove the following: If the functions f and g are space-constructible, then so are $f + g$, $f \cdot g$, and 2^f .

Exercise 10

Prove the *space-compression theorem* (Thm. 4.2 from the lecture): For all $\varepsilon \in (0, 1]$, and all $S: \mathbb{N} \rightarrow \mathbb{N}$, we have $\text{DSpace}(S) \subseteq \text{DSpace}(\max\{n, \lceil \varepsilon \cdot S(n) \rceil\})$.

Exercise 11

— In the lecture, Turing machines were used to decide languages. We can, however, use deterministic Turing machines also to compute functions, where we assume that the argument is given on the input tape (in unary coding), and the Turing machine stops after having written the result on the output tape.

A function f is called *computable* if there is a Turing machine that computes f .

Show that $h: \mathbb{N} \rightarrow \mathbb{N}: n \mapsto \lfloor \frac{n}{2} \rfloor$ is computable.

Exercise 12

Prove the *gap theorem for time*: For every total computable function g with $g(n) \geq n$, there is a total computable function T with $\text{DTime}(T) = \text{DTime}(g \circ T)$.